

HORNET

1-6x24 SFP

Ultra wide angle of view



Thank you for considering this precision optical equipment.

Delta Optical spółka z ograniczoną odpowiedzialnością sp.k.
Nowe Osiny, ul. Piękna 1, 05-300 Mińsk Mazowiecki, Poland
TEL +48 25 786 0520 | FAX +48 25 759 2995
BetterForever@deltaoptical.eu | DeltaOptical.eu



THE AIM IS OPTICAL PERFECTION

HORNET

1-6×24 SFP

with D²MR: SKU DO-2390

with D²BR: SKU DO-2391




Ergonomic
throw lever

Elevation adjustment
range 44mrad


Both eyes open
tactical/dynamic
at 1× magnification

Ultra wide angle
of view

D²MR



D²BR



Delta Hornet 1-6×24 is optimal for all types of dynamic situations from close range high speed shooting with both eyes open on 1× to mid-range precision on 6×.

Flexibility of 6× magnification ratio combined with wide field of view and very large (44mrad) adjustment range make the Hornet a good fit to a variety of shooting platforms, especially lightweight and accurate AR-15s and similar semi-auto rifles.

Available with two different reticles, supporting the largest variety of calibers and weapon systems.

Magnification Range	1× – 6×
Objective Diameter	24mm
Field of View @ 100m 1×	35.7m
Field of View @ 100m 6×	6m
Eye Relief	89 – 99mm
Diopter Range	-3D/+2.2D
Water Proof	Yes
Reticle Position	2nd focal plane
Illumination	Dot*
Per Click	0.1mrad
Elev Adj Range	44mrad
Wind Adj Range	44mrad
Tube Diameter	30mm
Length	255mm
Weight	510g
Warranty	5 years



* With Reticle D²BR, illumination Dot + Horseshoe





THE AIM IS OPTICAL PERFECTION

HORNET

1-6×24 SFP





THE AIM IS OPTICAL PERFECTION



D²MR

Enables fast multi-variable management. Correction markers for wind and object speed. For precision over medium distances. MRAD calibrated.



D²BR

Simple. For short and medium distances. Central 3mrad horseshoe enables instinctive targeting. BDC calibrated out to 600 meters for the average of .223 Remington (55gr M193 and 62gr M855 out of 50cm barrel). Windage bars for 8km/h and 16km/h wind up to 600 meters.



THE AIM IS OPTICAL PERFECTION